

YOUNG CHANG SILICONE CO LTD
481-7 GASAN-DONG, KUMCHUN-GU, SEOUL 153-803 KR

System Component
STW-B

System Designation
YCI-130

System Class
130(B)

Report Date: 2006-09-27

© 2020 UL LLC



alternate constructions: [Table II](#) ▼

Construction Details (Table II)

The use of this insulation system is limited to the combination of materials specified below. Where more than one item is designated under insulation function, they may be used together, or they may be used as alternates to one another. Functions designated "optional" are not necessarily required for every design. Insulation thicknesses and/or layers below minimum.

Filament Wire

Additional Ground & Interwinding insulation **is not** required to separate this winding from other windings or between this winding and grounded/dead metal
Recognized Component Single and Multi-Layer Insulated Winding Wire (OBJT2) listed below
Recognized Component Appliance Wiring Material (AVLV2) listed below
Unless otherwise noted, winding wire types listed below may be used in combination within a single product

<u>YOUNG CHANG SILICONE CO LTD [E242198] - Recognized Component</u> STW-B	3.7 (0.09)	Single- and Multi-layer Insulated Winding Wire - (
--	------------	--

Enameled Wire

Recognized Component - Magnet wire (OBMW2), single build or greater, round or rectangular, copper or aluminum unless stated otherwise for the types listed below
Ground Insulation is required to separate this winding from grounded/dead metal
Interwinding Insulation **is** required to separate this winding from other enameled wire
Unless otherwise noted, Winding Wire types listed below may be used in combination within a single product

<u>ANSI Type</u>	<u>Temp(°C)</u>	<u>Basecoat(Topcoat)</u>
MW 28	and 130°C	Polyurethane (Polyamide)
MW 75	and 130°C	Polyurethane
MW 79	or 155°C	Polyurethane
MW 80	or 155°C	Polyurethane (Polyamide)
MW 82	or 180°C	Polyurethane
MW 83	or 180°C	Polyurethane (Polyamide)

Ground and Interwinding Insulations

<u>Designation</u>	<u>mils(mm)</u>	<u>comments</u>
<u>3M COMPANY [E17385] - Recognized Component</u>		
1 (a)	1 [layers]	
1298 (b)	1 [layers]	
1298CR	1 [layers]	
1318-1 (a)	2 [layers]	
1318-2 (a)	1 [layers]	
1350-1 (b)	2 [layers]	
1350-2 (c)	1 [layers]	
1350CR-1	2 [layers]	
1350CR-2	1 [layers]	
1350F-1 (b)	2 [layers]	
1350F-2 (c)	1 [layers]	
1350T-1 (b)	2 [layers]	
1350T-2 (b)	1 [layers]	
1350T-3 (b)	1 [layers]	
1351-1 (a)	2 [layers]	
1351-2 (c)	1 [layers]	
1351T-1 (a)	2 [layers]	
1351T-2 (a)	1 [layers]	
44-T (a)	1 [layers]	
44D (a)	1 [layers]	
5	1 [layers]	
54 (a)	1 [layers]	
55	1 [layers]	
56 (a)	1 [layers]	
57 (a)	1 [layers]	
58 (a)	1 [layers]	
74 (a)	1 [layers]	
75	1 [layers]	
Super 10 (a)	1 [layers]	
<u>CELANESE INTERNATIONAL CORP [E344082] - Recognized Component</u>		
ZENITE 6130(+)	11.8 (0.3)	
<u>DuPont Specialty Products USA, LLC [E34739] - Recognized Component</u>		
Nomex® 410	2 (0.05)	
Nomex® 411	5 (0.13)	
Nomex® 414	2 (0.05)	
Nomex® 418, 818, 864LAM	2 (0.05)	
Nomex® 992, 992PSB	4 (0.1)	
Nomex® 993, 993PSB	3 (0.08)	
Nomex® 994, 994PSB	3 (0.08)	
Nomex® E56, 356	3 (0.08)	
<u>Dupont Teijin Films</u>		
Mylar	1 (0.03)	polyethylene terephthalate film (PET)
<u>E I DUPONT DE NEMOURS & CO INC [E39505] - Recognized Component</u>		
Kapton® 100H, 100HN, 100HN-S, 100H-ZT, 100HFPC-ZT, 100TAB-ZT, 100PST, 100HA, 100TN, 100V, 100VN, 100FPC, 100FPC-A, 100HPP-ST	1 (0.03)	
<u>E I DUPONT DE NEMOURS & CO INC [E41938] - Recognized Component</u>		
Crastin SK665FR(f1)	11.8 (0.3)	
Rynite FR530(I)(+)(f1), FR530L(I)(+)(f1)	11.8 (0.3)	

<u>HITACHI CHEMICAL CO LTD [E42956] - Recognized Component</u>		
CP-J-8800, CP-J-NAF, CP-J-F(N)		15.7 (0.4)
<u>JINGJIANG YAHUA PRESSURE SENSITIVE GLUE CO LTD [E165111] - Recognized Component</u>		
CT* (b)(g)		2 [layers]
PZ* (b)		2 [layers]
WF* (c)(h)		1 [layers]
<u>METAL LINE CO LTD [E162848] - Recognized Component</u>		
800 (a) *** this product is no longer Recognized ***		3 (0.08)
800BT *** this product is no longer Recognized ***		2 [layers]
<u>NITTO DENKO CORP [E34833] - Recognized Component</u>		
3161-FT1		1 [layers]
3161-FT2		1 [layers]
31CT-1 (a)		1 [layers]
31CT-2 (a)		1 [layers]
31CTF (a)		1 [layers]
<u>P LEO & CO LTD [E126174] - Recognized Component</u>		
1P756 (h)		1 [layers]
1P801		1 [layers]
1P802		1 [layers]
<u>SUMITOMO BAKELITE CO LTD [E41429] - Recognized Component</u>		
SUMIKON PM-9630		15.7 (0.4)
SUMIKON PM-9750		15.7 (0.4)
SUMIKON PM-9820, PM-9825		15.7 (0.4)
SUMIKON PM-9850		15.7 (0.4)
<u>SYMBIO INC [E50292] - Recognized Component</u>		
35660 (a)		1 [layers]
35661 (c)		1 [layers]
<u>TERAOKA SEISAKUSHO CO LTD [E56086] - Recognized Component</u>		
560S #2		1 [layers]
560S #3		1 [layers]
560S #5		1 [layers]
561S #2 *** this product is no longer Recognized ***		1 [layers]
561S #3 *** this product is no longer Recognized ***		1 [layers]
561S #7 *** this product is no longer Recognized ***		1 [layers]
630F #25 (a)		1 [layers]
630F2 #50 (i)		1 [layers]
631S #25 (a)		1 [layers]
631S2 #50 (a)		1 [layers]
632S #25 (a)		1 [layers]
650S #25		1 [layers]
650S #50		1 [layers]
652S #25		1 [layers]
653F #25		1 [layers]
654S #25		1 [layers]

Polyester

Lead Wires

lead wires are optional for this system

Temp	Insulation
105°C	CPE - chlorosulfonated polyethylene +
150°C	SR - silicone rubber(with or without braid)
150°C	Perfluoro-alkyl vinyl ether/AI/PET/EVA
150°C	XLPE - crosslinked polyethylene
200°C	SR - silicone rubber(with or without braid)
200°C	FEP - fluorinated ethylene propylene

+ To be isolated from direct contact with windings (magnet wire) by any insulating material (tape, layer insulation, sleeving,etc.) listed in this table - unless specifically exclude requirement by a special note at the beginning of this table.

Minor Sheet Materials

(layer, outer, wrap etc.) minor sheet is optional for this system

Designation	comments
<u>Dupont -Teijin Films</u>	
Polyethylene Terephthalate Film	
<u>DuPont Specialty Products USA, LLC [E34739] - employing Recognized materials</u>	
Nomex® 410	
Nomex® 411	
Nomex® 414	
Nomex® 416, 416 LAM	
Nomex® 418, 818, 864LAM	
Nomex® 992, 992PSB	
Nomex® 993, 993PSB	
Nomex® 994, 994PSB	
Nomex® E56, 356	
<u>E. I. Dupont de Nemours & Co.</u>	
Kapton Grades H, V, HN, VN and HA	
Nomex® 424	
Nomex® 425	
<u>GE Toshiba Silicone</u>	
TSE-3331	
TSE-3331K	
<u>Sumitomo Bakelite</u>	
Sumilite VSL, VSS	

any sheet insulation or tape described in this table with no minimum thickness requirement may be used as a minor sheet material

Tapes

tapes are optional for this system

Designation	comments
<u>3M COMPANY [E17385] - Listed or Recognized Component</u>	
1 (a)	

1205
 1298 (b)
 1298CR
 1318-1 (a)
 1318-2 (a)
 1350-1 (b)
 1350-2 (c)
 1350CR-1
 1350CR-2
 1350F-1 (b)
 1350F-2 (c)
 1350T-1 (b)
 1350T-3 (b)
 1351-1 (a)
 1351-2 (c)
 1351T-1 (a)
 1351T-2 (a)
 1351T-3 (a)
 44 (a)
 44-T (a)
 44D (a)
 44D-A (a)
 44T-A (a)
 5
 54 (a)
 55
 56 (a)
 57 (a)
 58 (a)
 74 (a)
 75
 92
 MR 94
 MR 94B (c)
 Super 10 (a)
 Super 20 (a)

3M Japan Limited [E59505] - Listed or Recognized Component

2245
 CU-35C
 SUPER 10-T
 SUPER 10-W

BONDTEC PACIFIC CO LTD [E175868] - Listed or Recognized Component

201 (c)
 201S (c)
 370S (b)
 371F (a) *** this product is no longer Recognized ***

Bondtec Pacific Co.

371S

CHYUN YIH TAPE CO LTD [E81174] - Listed or Recognized Component

PB416C
 PB416F

DUCK SUNG HITECH CO LTD [E105147] - Listed or Recognized Component

220-B
 231
 DTS-230
 DTS-241
 DTS-280

Duck Sung Hitech Co., Lt

220-F

DTS-204A

INTERTAPE POLYMER GROUP [E20780] - Listed or Recognized Component

51580-00 (40)* (b)
 51595* (b)
 54113

JINGJIANG YAHUA PRESSURE SENSITIVE GLUE CO LTD [E165111] - Listed or Recognized Component

CT* (b)(g)
 CT* (c)(g)
 PZ* (b)
 WF* (c)(h)

METAL LINE CO LTD [E162848] - Listed or Recognized Component

800 (a) *** this product is no longer Recognized ***
 800BT *** this product is no longer Recognized ***

Nichiban Co., Ltd.

553H-UL
 573H-UL
 945UL-30
 945UL-50

NITTO DENKO CORP [E34833] - Listed or Recognized Component

3161-FT1
 3161-FT2
 31C
 31CT (a)
 31CT-1 (a)
 31CT-2 (a)
 31CTF (a)
 343B (a)
 343BN@ (a) *** this product is no longer Recognized ***

P.Leo & Co.(B.C) Ltd

1A605
 1E075
 1K7172

silicone adhesive, polyimide film

1P130	acrylic adhesive, polyester film
1P808	polyester film
1P830	polyester film
1P9FR	acrylic adhesive, polyester film
1PN2R	
1TF07	

P LEO & CO LTD [E126174] - Listed or Recognized Component**1A025**

1A570 *** this product is no longer Recognized ***

1C822 *** this product is no longer Recognized ***

1G006**1G130 (o)****1G155****1G180****1G200****1H818 (m)****1H850 Black (q)****1H850 Natural (o)****1H860 (f)****1H86A (o)****1H86R (g)****1K063****1K7170****1K7171A****1N008****1N012****1N155****1P133 (f)**

1P135 (c) *** this product is no longer Recognized ***

1P350 (e)**1P656 (d)****1P700 (b)****1P756 (h)****1P801****1P802****1P802 (k)****1P833 xx (@)****1PEN2****1PEN3****1PN3R****1PN820 (o)****1PN828 (o)****1TF05**Symbio Inc

N35660Y

SYMBIO INC [E50292] - Listed or Recognized Component**35660 (a)****35660Y (e)****35661 (c)****KA180H**TAE HWA INDUSTRIAL CO LTD [E92677] - Listed or Recognized Component**E-3338****H-2715****H-5673 (+)****S-9101**Taehwa Industries

C-3310

E-3338

H6701

S-2115

TERAOKA SEISAKUSHO CO LTD [E56086] - Listed or Recognized Component**560S #2****560S #3****560S #5**

561S #2 *** this product is no longer Recognized ***

561S #3 *** this product is no longer Recognized ***

561S #7 *** this product is no longer Recognized ***

630F #25 (a)**630F2 #50 (i)****631S #25 (a)**

631S #38 (d) *** this product is no longer Recognized ***

631S2 #50 (a)

635F *** this product is no longer Recognized ***

636F**650S #50****652S #25****653F #25****654S #25**

673AB 0.27 (b) *** this product is no longer Recognized ***

673AB 0.45 (b) *** this product is no longer Recognized ***

673F 0.27 (a)**673F 0.5 (a)**

673FG 0.45 (b) *** this product is no longer Recognized ***

678F 0.27 (b) *** this product is no longer Recognized ***

831STeraoka Seisakusho Co., Ltd.

530F

epoxy varnish impregnated nonwoven polyester fabric, acrylic ac

Core tubes and Bobbins

(for mechanical support only) cores are optional for this system

Designation

comments

CHANG CHUN PLASTICS CO LTD [E59481] - employing Recognized materials

LONGLITE 4130
LONGLITE T375J(G5)(G6)
T200NA

E I DUPONT DE NEMOURS & CO INC [E41938] - employing Recognized materials

Zytel 101(r9)(f1), 101F(r9)(f1), 101L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)
Zytel 103FHS(+), 103HSL(+), RN5077E(+), E103HSL(+)
Zytel 70G13L
Zytel 70G30HSL, 70G30HSLR
Zytel 70G33HS1L(+)
Zytel 70G33L(+)
Zytel FR50(+)(f1)

Hitachi Chemical Co Ltd
 CD-F-800
 CP-J-8600
 CP-J-8700

Kolon Industries
 KP212V0

SAMYANG CORPORATION [E121254] - employing Recognized materials
TRIBIT, Sam Yang's Co. Ltd. PBT 1500GN-30

SUMITOMO BAKELITE CO LTD [E41429] - employing Recognized materials
SUMIKON AM-1130, AM-113
SUMIKON PM-9720
SUMIKON PM-9830

SUMITOMO CHEMICAL CO LTD [E249884] - employing Recognized materials
SUMIKASUPER E4008(c4)(c2)(c3)(j)

TORAY INDUSTRIES INC [E41797] - employing Recognized materials
1494

Spacer and Wedges

spacer and wedges are optional for this system

Designation comments

E. I. Dupont de Nemours & Co.
 Nomex Board

any material described in this table with no thickness requirement may be used as a spacer or a wedge

Tubing and Sleeving

tubing and sleeving are optional for this system

Designation comments

Changyuan Electronics Group Co Ltd
 CB-TT

Daikin
 EP-520

FURUKAWA ELECTRIC CO LTD [E58401] - Recognized Component
PI-Tube, PIT-S

GREAT HOLDING INDUSTRIAL CO LTD [E156256] - Recognized Component

TFL
TFS
TFT

Hoechst
 TFBX7100

KURABE INDUSTRIAL CO LTD [E52717] - Recognized Component
SE-1
SE-2

LS CABLE & SYSTEM LTD [E84393] - Recognized Component
GSHS-1625

NIKKAN INDUSTRIES CO LTD [E55258] - Recognized Component
S-693F-1

NIKKAN INDUSTRIES CO LTD [E72406] - Recognized Component
S-693-600

NIKKAN INDUSTRIES CO LTD [E88468] - Recognized Component
E-651U-1
E-651U-2

NISSEI ELECTRIC CO LTD [E67922] - Recognized Component
RSU-1

Nissei Electric Co., Ltd
 RSU-2

P LEO & CO LTD [E176865] - Recognized Component
2T-TFL-xx.x (a)
2T-TFS-xx.x (a)

P. Leo & Co Ltd
 2R-YG

SUMITOMO ELECTRIC FINE POLYMER INC [E48762] - Recognized Component
 811 or Sumitube F2 *** this product is no longer Recognized ***

SUMITOMO ELECTRIC FINE POLYMER INC [E75077] - Recognized Component
851 or SUMITUBE F4

Young Woo Co. Ltd.
 YT-130
 Yt-130A
 YT-140
 YT-605
 YT-605R

ZEUS INDUSTRIAL PRODUCTS INC [E64007] - Recognized Component

TFE-HW-600, TFE-SW-600
TFE-LW-150, TFE-SW-150, TFE-TW-150
TFE-TW-300, TFE-SW-300, TFE-HW-300

Tie Cords

tie cords are optional for this system

Designation

comments

Various Manufacturers
 Uncoated fiberglass

Varnishes

varnishes are optional for this system

Designation

comments

CHEMTECH CO LTD [E258329] - Recognized Component

ES925-43D# *** this product is no longer Recognized and may not be suitable for use in this system ***

ELANTAS ELECTRICAL INSULATION ELANTAS PDG INC [E75225] - Recognized Component

434 Air Dry

468-2 (d), 468-2FC (d), 468-2-7-xxF (d), 468-2-7FC-xxF (d)

V1380, V1380FC, V1380FC Black, 80381FC

V1630, V1630FS, V1630FS50, V1630FS Black, 80361, 80361FS

HITACHI CHEMICAL CO LTD [E72979] - Recognized Component

WP-2952F-2G, WP-2952F-2G(Y), WP-2952F-2G(YL), WP-2952F-2G (YS), WP-2952F-2G(FC), WP-2952F-2G(H), WP-2952F-2G(K)

John C Dolph Co [E317427] - Recognized Component

AC-43, EB-43-HG, EB-43-FB, AC-43-66, EG-43/698-D, EG-43/759-D, ER-43/368-D

BC-346A, BC-346-A, BC-346B, BC-346-E, BB-348, BB-346-HF, BC-346HF, BG-346A, BB-346-A, BB-346/A, BC-370

NOROO PAINT & COATINGS CO LTD [E93947] - Recognized Component

DVB-2085(*)

SE KYE CHEMICAL CO LTD [E257443] - Recognized Component

SR-337*

© 2020 UL LLC